### For more updates Join Depth of biology Application

#### **GPAT QUESTION PAPER 2018 WITH ANSWER KEY**

- 1. A technique of using very small metal particles coated with desired DNA in the gene transfer is called:-
- (a) Microinjection
- (b) Biolistic
- (c) Liposome mediated
- (d) Electroporation
- 2. Arrange the following steps in sequence of their order for production of recombinant Insulin:-
- A. Fusion of A and B chains for disulphide bond.
- B. Cynogen bromide treatment to remove methi onine and â galactosidase.
- C. Introduction of A and B chain in the plasmid containing â galactosidase g ene.
- D. Synthesis of A and B chain in E coli.
- (a)  $a \rightarrow b \rightarrow d \rightarrow c$
- (b)  $d \rightarrow c \rightarrow a \rightarrow b$
- (c)  $c \rightarrow d \rightarrow b \rightarrow a$
- (d) b  $\rightarrow a \rightarrow d \rightarrow c$
- 3. Motif is represented by:-
- (a) Commas repeated on the lattice
- (b) 3D translational periodic arrangement of points
- (c) Geometric shapes of lattice
- (d) Centre of symmetry in lattice
- 4. Statement 1: Vortex formation can be minimized by push pull mechanism.

  Statement 2: Vortex formation reduces the mixing intensity by increasing the velocity of impeller.
- (a) True, False
- (b) True, True
- (c) False, False
- (d) False, True
- 5. Which of the following fluid can be considered as an ideal fluid?
- (a) Viscous fluid
- (b) Non-viscous fluid
- (c) Compressible fluid
- (d) All of these
- 6. Which of the following agencies is not classified as an 'executive agency' for administration

of the act under the provision of Drugs and Cosmetics Act 1940?
---

- (a) Licensing authority
- (b) Drug inspectors
- (c) Drugs Consultative Committee
- (d) Customs collectors
- 7. As per Factories Act 1948, in CHAPTER VI dealing with working hours of adults, no adult worker shall be required or allowed to work in a factory for more than \_\_\_\_\_ hours in a week.
- (a) 30
- (b) 40
- (c)48
- (d) 56
- 8. Henri Fayol's principle "Espirit de corps" means:-
- (a) Corporate objective
- (b) Group objective
- (c) Team activity
- (d) Team spirit
- 9. How customer's bias about the product will influence the marketing communication?
- (a) Positive effect
- (b) Negative effect
- (c) No effect
- (d) Both positive and Negative
- 10. Which of the following is not patentable in India as per The Patents Act 1970?
- (a) New product
- (b) New process
- (c) New use of existing drug
- (d) New process for existing drug

#### 11. Match the following enzymes in Column I with their respective functions under Column II


Column I


Column II

- i. DNA ligase
- (p) Synthe size a DNA copy of RNA
- ii. Alkaline phosphatase
- (q) Forms a bond between 3'-OH and 5'-PO<sub>4</sub>
- iii. Reverse transcriptase
- (r) Removes terminal PO<sub>4</sub> from 3' or 5'end of DNA
- iv. Polynucleotide kinase
- (s) Adds phosphate to 5' –OH end
- (a) i-r, ii-s, iii-p, iv-q
- (b) i-p, ii-q, iii-r, iv-s

## For more updates Join Depth of biology Application

- (c) i-q, ii-r, iii-p, iv-s
- (d) i-s, ii-p, iii-q, iv-r
- 12. Which of the following replacement of amino acid in a protein may produce greatest change in its conformation?
- (a) Ser  $\rightarrow$  Thr
- (b)  $Glu \rightarrow Val$
- (c)  $Gln \rightarrow Tyr$
- (d) Phe  $\rightarrow$  Ile
- 13. The hexose monophosphate pathway produces distinctively two useful products. Identify these products with the ratio in which they are produced.
- (a) One NADPH to two ribose-6-phosphate
- (b) Two NADPH to one ribose-5-phosphate
- (c) Two NADPH to one ribulose-5-phosphate
- (d) Two NADPH to one fructose-6-phosphate
- 14. The correct statement about Vitamin D is:-
- (a) The oral administration of 1, 25-dihydoxycholecalciferol is required in chronic renal failure
- (b) 25-Hydroxycholecalciferol is the active form of the vitamin
- (c) Vitamin D antagonizes the effects of parathyroid hormone
- (d) A deficiency of vitamin D causes an increase in calcitonin secretion
- 15. All of the following enzymes are used in ELISA except:-
- (a) Glucose oxidase
- (b) Alkaline phosphatase
- (c) Coagulase
- (d) β-galactosidase
- 16. Which of the following equilibrium suggests noncompetitive inhibition of enzyme E for conversion of substrate S to product P with inhibitor I?





## For more updates Join Depth of biology Application



- 17. Which method is used for the Limit test for arsenic?
- (a) Gutzeit method
- (b) Oswald method
- (c) Arrhenius method
- (d) Karl-Fischer method
- 18. The agent used to prevent the dental carries is:-
- (a) Sodium fluoride
- (b) Strontium chloride
- (c) Zinc chloride
- (d) Dicalcium phosphate
- 19. Which of the following definitions of an asymmetric reaction is the most accurate?
- (a) A reaction that creates a new chiral centre in the product
- (b) A reaction that involves a chiral reagent
- (c) A reaction which creates a new chiral centre with selectivity for one enantiomer/diasatereoisomer over another
- (d) A reaction that is carried out on an asymmetric starting material
- 20. What software programme is used to determine the Verloop steric parameter in QSAR?
- (a) Alchemy
- (b) Chem3D
- (c) Sterimol
- (d) Chem-Draw
- 21. The oral oligosaccharide hypoglycemic agent, which is administered at the start of the meal

is:-

- (a) Pioglitazone
- (b) Miglitol
- (c) Acarbose
- (d) Glimepride
- 22. Which functional group is crucial for anti-malarial activity of artemisinin?
- (a) Aldehydic functional group
- (b) Ethylene bridge

- (c) Ketonic functional group
- (d) Peroxide bridge
- 23. Select the drug which exhibits dual alpha and beta adrenergic receptor agonists activity.
- (a) Terbutaline
- (b) Clonidine
- (c) Metaproterenol
- (d) Dobutamine
- 24. Appropriate hybridization schemes for the C atoms in molecule CH3CO2H are:-
- (a) sp<sup>3</sup> and sp
- (b)  $sp^3$  and  $sp^2$
- (c) sp<sup>2</sup> and sp
- (d)  $sp^3$  and  $sp^3$
- 25. In Universal indicators, a pH of 7 is shown with:-
- (a) Yellow color
- (b) Green color
- (c) Blue color
- (d) Pink color
- 26. Which statement regarding Hückel's rule is FALSE?
- (a) There must be (4n + 2) pi  $(\pi)$  electrons
- (b) The molecule must be planar
- (c) The molecule must be cyclic
- (d) Each of the pi  $(\pi)$  electrons must be associated with a conjugated double bond
- 27. Anthracene is isomeric with:-
- (a) Phenanthrene
- (b) Naphthalene
- (c) Benzene
- (d) Azulene
- 28. The molecular formula of phenanthrene is:-
- (a)  $C_{14} H_{10}$
- (b)  $C_{12}H_{10}$
- (c)  $C_{14} H_{14}$
- (d)  $C_{14} H_8$
- 29. In electrophilic substitution of pyridine, reaction of pyridine with H2O2 in acetic acid leads

### For more updates Join Depth of biology Application

#### to formation of:-

- (a) 1,4-Dihydropyridine
- (b) 2-Hydroxypyridine
- (c) 2-Pyridone
- (d) Pyridine-N-oxide
- 30. Which compound is most basic?









#### 31. Correct Nomenclature for the following bridged bicyclic ring system is:-

- (a) bicyclo[4.4.0] decane
- (b) bicyclo[4.3.0] decane
- (c) bicyclo[4.3.1] decane
- (d) bicyclo[4.4.1] decane

#### 32. Which among the following correctly defines Diastereomer?

- (a) These have same magnitude but different signs of optical rotation
- (b) Nonsuperimposable object mirror relationship
- (c) These differ in all physical properties
- (d) Separation is very difficult

#### 33. Galactose and Glucose are:-

- (a) Epimers
- (b) Anomers
- (c) Isomers
- (d) Ketose-Aldose isomers

#### 34. Which among the following is a non-essential amino acid?

- (a) Lysine
- (b) Threonine
- (c) Serine
- (d) Histidine

## 35. Which of the following is a 3,3-sigmatropic reaction which converts a 1,5-diene to an isomeric 1,5 diene?

- (a) Cope rearrangement
- (b) Claisen rearrangement
- (c) Photochemical [2+2] reaction
- (d) Diels-Alder reaction

36. What quantity of an indicator solution shall be added when quantity is not mentioned in an assay or test?  (a) 0.1 ml  (b) 0.05 ml  (c) 0.2 ml  (d) 0.5 ml
37. In Kjeldahl method, sample containing nitrogen is digested with  (a) Concentrated sodium hydroxide  (b) Fuming nitric acid  (c) Concentrated sulphuric acid  (d) Strong ammonia solution
38. What is the concentration of paracetamol in a 0.1 N sodium hydroxide solution, whose absorption in a 1 cm cell at its $\lambda$ max, 257 nm, was found to be 0.825? The A (1%, 1 cm) in the IP monograph of paracetamol is given as 715 at 257 nm (a) 1.1 g/100 ml (b) 0.0011 mg/100 ml (c) 0.0011 g/100 ml (d) 0.0011 $\mu$ g/100 ml
<ul> <li>39. The unit for specific absorbance A (1%, 1cm) is:-</li> <li>(a) μg/mL</li> <li>(b) mg/L</li> <li>(c) liter mole<sup>-1</sup> cm<sup>-1</sup></li> <li>(d) dl g<sup>-1</sup> cm<sup>-1</sup></li> </ul>
40. What is the nuclear magnetic resonance frequency of 1H in a 7.05 Tesla magnetic field strength?  (a) 300.0 MHz (b) 200.0 MHz (c) 60.0 MHz (d) 100 MHz
41. What is Hydrogen Deficiency Index (HDI) value for toluene? (a) 1 (b) 2 (c) 3 (d) 4

- 42. In NMR, the aromatic proton resonate in a characteristic narrow range at:-
- (a)  $\delta 6.5 \delta 8.0$
- (b)  $\delta 11.0 \delta 12.0$
- (c)  $\delta 2.0 \delta 4.0$
- (d)  $\delta 0.7 \delta 1.3$
- 43. The difficulties of long elution time and poor resolution of complex mixtures are observed in elution analysis. These difficulties can be overcome by modification of elution analysis, known as:-
- (a) Isocratic-elution analysis
- (b) Gradient-elution analysis
- (c) Displacement analysis
- (d) Frontal analysis
- 44. Materials whose consistency depends on the duration of shear, as well as on the rate of shear, exhibit:-
- (a) Rheopexy
- (b) Thixotropy
- (c) Viscoelasticity
- (d) Plasticity
- 45. Which of the following solutions are more likely to have the same osmotic pressure? Solutions of:
- (a) Diluted nonelectrolytes with the same molal concentration
- (b) Concentrated nonelectrolytes with the same molal concentration
- (c) Diluted electrolytes with the same molal concentration
- (d) Concentrated electrolytes with the same molal concentration
- 46. Which statements are correct for the micelle formation?
- (P) Micelles are dynamic structures that are continually formed and broken down in solution.
- (Q) The typical micelle diameter is about  $2-3 \mu m$  and so they are visible under the light micro scope.
- (R) Micelle formation is a spontaneous process.
- (S) When the surfactant concentration is increased above the CMC, the number of micelles increases and the free surfactant concentration decreases below CMC.
- (a) P and Q
- (b) P and R
- (c) P and S
- (d) R and S

### For more updates Join Depth of biology Application

## 47. Which equation is used to predict the stability of a drug product at room temperature from experiments at accelerated temperature?

- (a) Higuchi equation
- (b) The Arrhenius' equation
- (c) Hildebrand equation
- (d) The Hixson-Crowell equation 48. Which statement correctly describes Hess's Law?
- (a) The enthalpy of all reactants in their standard states is defined as zero
- (b) Enthalpy changes can be calculated only if one or more of the reactants is/are element
- (c) The enthalpy change of a reaction can be calculated only at 1 atm pressure and 25 °C
- (d) The enthalpy change of a reaction is independent of the route of reaction

#### 49. Identify the starting material A and B in the synthesis of Clomifene.

- (a) Where A 4-hydroxy-benzophenone and B 2-diethylamino-ethyl chloride
- (b) Where A 4-hydroxy benzaldehyde and B 4-methoxy aniline
- (c) Where A 4-hydroxy-benzophenone and B 4-methoxy aniline
- (d) Where A 4-hydroxy-benzophenone and B benzaldehyde

#### 50. The role of glutathione in tissues includes all except:-

- (a) Participate in decomposition of hydrogen peroxide
- (b) Participate in activation of methionine
- (c) Participate in detoxification reactions
- (d) Biologically active in oxidized form

#### 51. When Ke is constant and Ka is larger:-

- (a)  $C_{max}$  is more and  $t_{max}$  is longer
- (b) C<sub>max</sub> is lesser and t<sub>max</sub> is longer
- (c) C<sub>max</sub> is lesser and t<sub>max</sub> is short
- (d)  $C_{max}$  more and  $t_{max}$  is short

#### 52. When considering drug delivery to the brain which of the following is false?is short

- (a) The cells in the blood vessels that supply the brain are tightly connected which restricts drug absorption
- (b) Only relatively small lipophilic molecules readily, passively diffuse in to the brain
- (c) Drugs with a low log P value show improved passive diffusion into the brain (P: oil / water partition coefficient)
- (d) Polar molecules can be taken up into the brain through active transport

#### 53. IVIVC utilizes the principles of statistical moment analysis:-

- (a) Level A
- (b) Level B

- (c) Level C
- (d) Level D
- 54. The systems that follows, Weibull Mathematical Model used to describe drug release kinetics are:- http://www.xamstudy.com
- (a) Swellable polymeric devices
- (b) Diffusion matrix formulation
- (c) Erodible matrix formulation
- (d) Transdermal system
- 55. Which method is used by pharmacists for complete blending of potent powders with large quantities of diluents?
- (a) Spatulation
- (b) Levigation
- (c) Trituration
- (d) Geometric dilution
- 56. Substance used to reduce friction during tablet compression and facilitate ejection of tablets from the die cavity is called as:-
- (a) Lubricant
- (b) Glidant
- (c) Anti-adherent
- (d) Humectant
- 57. What quantities of 95% v/v and 45% v/v alcohols are to be mixed to make 800 mL of 65% v/v alcohol?
- (a) 480 mL of 95% and 320 mL of 45% alcohol
- (b) 320 mL of 95% and 480 mL of 45% alcohol
- (c) 440 mL of 95% and 360 mL of 45% alcohol
- (d) 360 mL of 95% and 440 mL of 45% alcohol
- 58. The proportion of NaCl liquid to give 1.5% solution of drug isotonic with blood plasma is:- (The freezing point of 1% w/v solution of drug is -0.122 and NaCl is -0.576 °C)
- (a) 0.79%
- (b) 0.585%
- (c) 0.9%
- (d) 0.5%
- 59. Which of the following statement is NOT TRUE about prokaryotes?
- (a) Nucleus is not bounded by nuclear membrane

(b) Cell wall contains peptidoglycan

(c) 13.2 (d) 14.3

(c) 80S ribosomes are distributed	d in cytoplasm
(d) It is Haploid in nature	
CO M + 1 + 1 + C 11 - ' - 1'	
Column II.	s under column I with the respective causative organisms under
Column I	Column II
i. Creutzfeldt-Jacob disease	p. Yersinia pestis
ii. Typhus	q. Prions
iii. Syphilis	r. Rickettsia prowazekii
iv. Plague	s. Treponema palladium
(a) i-r, ii-s, iii-p, iv-q	s. Treponema panadium
(a) i-r, ii-s, iii-p, iv-q (b) i-p, ii-q, iii-r, iv-s	
(c) i-q, ii-r, iii-s, iv-p	
(d) i-s, ii-p, iii-q, iv-r	
(u) 1-8, 11-p, 111-q, 1v-1	
61. As the dielectric constant val	lues increases, the polarity of the solvents .
(a) Decreases	
(b) Increases	
(c) Remains constant	
(d) Decreases and then remains of	constant
. ,	
62. The angle of repose is calcul	ated by
(a) $\tan \alpha = \text{Radius/Height}$	
(b) $\tan \alpha = 1 + \text{Radius/Height}$	
(c) $\tan \alpha = 1$ - Radius/Height	
(d) $\tan \alpha = \text{Height/Radius}$	
63. Spray drying / spray congeal	ing method is generally used to prepare
(a) Tablets	
(b) Microcapsules	
(c) Capsules	
(d) Ointments	
64. HLB value of tragacanth is:-	
(a) 4.7	
(b) 8.7	

65. Vials and bottles are regularly not subjected to following test:  (a) Sterility test (b) Clarity test (c) Leaker (chamber) test (d) Pyrogen test
66. As per USP, test limit for treated soda lime glass with container size of 200 ml is:- (a) 0.70ml of 0.02N Acid (b) 1.0ml of 0.2N Acid (c) 0.20ml of 0.02N Acid (d) 0.70ml of 0.2N Acid
67. In plasma, phenobarbital is present as ionized and unionized forms in equal amount because:- (a) It is weakly acidic drug (b) It is weakly basic drug (c) pH of plasma is 6.8 (d) pKa of the phenobarbital is 7.4
68. A material which is insoluble and inert and used in matrix tablet formulation is:- (a) Polyethylene (b) Stearyl alcohol (c) Polyethylene glycol (d) Triglycerides
<ul> <li>69. Which test is done for USP Type-I glass containers for injections?</li> <li>(a) Water attack test</li> <li>(b) Powdered glass test</li> <li>(c) Powdered glass followed by water attack test</li> <li>(d) Water attack followed powdered glass test</li> <li>70. Isoelectric point of Type A gelatin is</li> <li>(a) pH 7.0</li> <li>(b) pH 4.7</li> <li>(c) pH 9.0</li> <li>(d) pH 7.4</li> </ul>

71. What is the effective ratio of methyl paraben and propyl paraben for anti-microbial activity?

(a) 1:1 (b) 5:1

### For more updates Join Depth of biology Application

- (c) 2.5:1
- (d) 10:1
- 72. Which of the following formula is used to determine shelf life as per first order reaction?
- (a)  $t_{90} 0.693/k$
- (b)  $t_{90} 0.104/k$
- (c)  $t_{1/2} = 0.693/k$
- (d)  $t_{1/2} 0.105/k$
- 73. Following are endogenous carriers use for targeted drug delivery except:-
- (a) Lipoprotein
- (b) Serum Albumin
- (c) Erythrocyte
- (d) Microparticulates
- 74. The friability issue of the tablet can be solved by different ways except:-
- (a) Increasing the upper punch pressure of tablet machine
- (b) Addition of more tablet binder to granules
- (c) Increasing the moisture content of granules
- (d) Adjusting the lower punch pressure of tablet machine
- 75. What are the specific surface per unit volume Sv of spherical particles with density of 3 gm/cm<sup>3</sup> and volume surface diameter, dvs of 2.57µm?
- (a)  $7.78 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (b)  $2.33 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (c)  $1.55 \times 10^3 \text{ cm}^2/\text{cm}^3$
- (d)  $1.00 \times 10^3 \text{ cm}^2/\text{cm}^3$
- 76. In a free-flowing powder, the bulk density and tapped density would be close in value, therefore, the Carr index would be:-
- (a) Small
- (b) Medium
- (c) Large
- (d) None
- 77. Buffer capacity is also referred to as:-
- (a) Buffer index
- (b) Buffer value
- (c) Buffer efficiency
- (d) All of these

### For more updates Join Depth of biology Application

#### 78. Keesom interactions has a force of:-

- (a) 0.5-1 kcal/mol
- (b) 1-7 kcal/mol
- (c) 1-3 kcal/mol
- (d) None of these

#### 79. Dipole - induced dipoles are also known as:-

- (a) London forces
- (b) Keesom forces
- (c) Debye forces
- (d) Hydrogen bonding

#### 80. The interfacial tension of Oleic acid against water at 20°C is:-

- (a) 15.6
- (b) 52.3
- (c)428
- (d) 8.51

#### 81. Suspensions of starch in water exhibit:-

- (a) Plastic flow
- (b) Psudoplastic flow
- (c) Dilatant flow
- (d) None of these

#### 82. Very weak bases having pKa < 5:-

- (a) Are ionized in the entire pH range of GIT
- (b) Absorbed only in stomach
- (c) Are unionized at all pH values
- (d) None of these

# 83. During determination of absorption rate constant by method of residual, flip-flop phenomenon occurs when (Ka absorption rate constant and KE overall elimination rate constant).

- (a) K  $_{\rm E}/{\rm Ka} \ge 3$
- (b) Ka/K  $E \ge 3$
- (c) K<sub>E</sub>/Ka  $\leq$  3
- (d) Ka/K  $_{\rm E} \le 3$
- 84. Which of the following disinfectant effectively destroys vegetative bacterial cells including

#### Gram positive and Gram negative bacteria, bacterial endospores, fungi, and viruses?

- (a) 8% formaldehyde + 70% alcohol
- (b) 70% Alcohol
- (c) 0.1% Phenol aqueous
- (d) 0.1% Iodine aqueous

#### 85. Which of the following are obligatory intracellular parasites?

- (P) Virus
- (Q) Fungus
- (R) Mycoba cterium (S) Rickettsia

- (a) all
- (b) (P), (Q) and (R)
- (c) (R) and (S)
- (d) (P) and (S)

#### 86. Select the correct statement.

- (a) Acids salt corresponding to an insoluble salt will be more water soluble than original salt
- (b) Hydroxides and oxides of compounds other than alkali metal cations and the common ions are generally water soluble
- (c) Sulphides are water soluble except for their alkali metal salts
- (d) Ammonium and Quaternary ammonium salts are water insoluble
- 87. What is the viscosity of resulting liquid after mixing 300mL of liquid A ( $\eta$ =1.0 cP) with the 200mL of liquid B ( $\eta$ =3.4 cP)?
- (a) 2.2 cP
- (b) 1.4 cP
- (c) 1.6 cP
- (d) 1.8 cP
- 88. A compound now increasingly used as standard practice for enhancing the flow of rubber latex by spraying on to the scraped bark of the rubber tree increasing the latex yields from 36% to 130% is:-
- (a) Brassinosteroids
- (b) Abscisic acid
- (c) Ethephon
- (d) Kinetin

#### 89. The constituent of Cochineal is:-

- (a) Cantharidin
- (b) Hirudin
- (c) Tannic acid
- (d) Carminic acid

## For more updates Join Depth of biology Application

00	The sweet taste and	adour of fannal	ic due to:
711.	. THE SWEEL LASIE AHU	Outour Or renner	18 UUC 10

- (a) Anethole
- (b) Fenchone
- (c) Eugenol
- (d) Phellandrene

#### 91. Catechu is used in medicine as an:-

- (a) Antidiabetic
- (b) Anti cancer
- (c) Antipyretic
- (d) Astringent

#### 92. Tropane alkaloids are biosynthesized from \_\_\_\_\_ amino acid.

- (a) Phenylalanine
- (b) Tyrosine
- (c) Ornithine
- (d) Leucine

#### 93. One mg of Lycopodium contains an average of:-

- (a) 97000 spores
- (b) 96000 spores
- (c) 95000 spores
- (d) 94000 spores

#### 94. Charaka, a physician belonged to which system of medicine?

- (a) Ayurveda
- (b) Unani
- (c) Siddha
- (d) Homeopathy

#### 95. The CCCN code indicating the botanical drugs is:-

- (a) 2211
- (b) 1122
- (c) 1211
- (d) 1311

#### 96. Uncaria gambir belongs to the family:-

(a) Rubiaceae

## For more updates Join Depth of biology Application

- (b) Combretaceae
- (c) Punicaceae
- (d) Rosaceae

#### 97. Alkanna tinctoria (Boraginaceae) roots are used in:-

- (a) Dandruff
- (b) Tooth paste
- (c) Facial cleansing wash
- (d) Lipstick formulations and hair dyes

#### 98. Identify the clotting factor which is known as Stuart factor or thrombokinase.

- (a) Clotting factor IV
- (b) Clotting factor VIII
- (c) Clotting factor X
- (d) Clotting factor XII

#### 99. Which part of the eye is light sensitive (photosensitive)?

- (a) Iris
- (b) Sclera
- (c) Lens
- (d) Retina

#### 100. Identify the specific site where maturation of sperm takes place.

- (a) Spermatic cord
- (b) Epididymis
- (c) Testis
- (d) Vas deference

#### 101. Identify the hormone that stimulates sperm production in testes and ovulation in females.

- (a) Prolactin
- (b) Luteinising hormone
- (c) Follicle stimulating hormone
- (d) Adrenocorticotropic hormone

#### 102. Identify the correct pair from the following:-

- (a) Sympathetic stimulation: Bronchoconstriction
- (b) Parasympathetic stimulation: Secretion of gastric juice
- (c) Sympathetic stimulation: Contraction of pupil
- (d) Parasympathetic stimulation: Dilatation of pupil

## For more updates Join Depth of biology Application

#### 103. The number of subjects required in a phase 1 clinical trial is:-

- (a) 20 to 100
- (b) Upto several hundred
- (c) 300 to 3,000
- (d) Several thousands

# 104.To obtain a more effective bronchodilation, the drugs that are combined along with beta-adrenoceptor agonists are:-

- (a) Cholinergic antagonists
- (b) Cholinergic agonists
- (c) Beta-adrenoceptor antagonists
- (d) Alpha-adrenoceptor antagonists

# 105. Which of the following antipsychotic drugs, at low doses, is combined with antidepressants in treatmentresistant depression?

- (a) Chlorpromazine
- (b) Haloperidol
- (c) Risperidone
- (d) Fluphenazine

#### 106. The management of Type-B adverse drug reaction is:-

- (a) To reduce the dose
- (b) To withhold the dose and avoid in future
- (c) To increase the dose
- (d) To reintroduce and withdraw slowly

## 107. Abatacept, a fusion protein, and a co-stimulation blocker used in the treatment of Rheumatoid arthritis blocks the:-

- (a) Activation of T-cells
- (b) Inhibition of T-cells
- (c) Activation of B-cells
- (d) Inhibition of B-cells

#### 108. Hemophilia A is a disease characterized by deficiency of:-

- (a) Factor VIII
- (b) Factor II
- (c) Factor VII
- (d) Factor V

### For more updates Join Depth of biology Application

#### 109. The enzyme HMG-CoA reductase is involved in the pathogenesis of:-

- (a) Atherosclerosis
- (b) Renal failure
- (c) Alzheimer disease
- (d) Parkinson disease

#### 110. Rheumatic heart disease is caused by:-

- (a) Streptococcal infection
- (b) Excessive lipid consumption
- (c) Abnormal lipid metabolism
- (d) Atherosclerosis

#### 111. Which of the following is NOT a gene associated with breast cancer?

- (a) BRCA1
- (b) HER2
- (c) BRCA2
- (d) CHRM1

#### 112. Which of the following is NOT true about the Ebola Virus Disease(EVD)?

- (a) Spreads through human-to-human transmission via direct contact
- (b) Antiviral drugs are approved by FDA to mitigate the infection
- (c) Diagnostic tests include ELISA
- (d) The virus is named after a river

#### 113. Hypodermoclysis refers to which route of drug administration?

- (a) Sublingual
- (b) Intradermal
- (c) Subcutaneous
- (d) Intravenous

#### 114. Which of the following is a shortest acting cholinersterase inhibitors enlisted below?

- (a) Neostigmine
- (b) Pyridostigmine
- (c) Edrophonium
- (d) Physostigmine

#### 115. Which of the following is a suitable antidote for mercury poisoning?

- (a) Atropine
- (b) Dimercaprol
- (c) Naloxone

### For more updates Join Depth of biology Application

#### (d) Nalorphine

#### 116. Histamine concentration is highest in:-

- (a) Beta cells
- (b) Mast cells
- (c) Lymphocytes
- (d) Adipocytes

#### 117. Select the a-lactamase inhibitor.

- (a) Griseofulvin
- (b) Clavulanic acid
- (c) Sulfamethoxazole
- (d) Tetracycline

#### 118. The mechanism of action of ciprofloxacin is:-

- (a) Inhibition of protein synthesis by interacting with 30s ribosome
- (b) Inhibition of protein synthesis by interacting with 50s ribosomes
- (c) Inhibition of DNA synthesis by interacting with topoisomerase
- (d) Inhibition of cell wall synthesis

#### 119. Which of the following is NOT CORRECT for myasthenia gravis?

- (a) Down regulation of nicotinic receptors
- (Nm) leads to myasthenia gravis
- (b) Tubocurarine is used to treat myasthenia gravis
- (c) It is an autoimmune disorder
- (d) Thymectomy is treatment option for myasthenia gravis

#### 120. Which of the following describes the effect of Sodium cromoglycate?

- (a) Mast cell degranulation
- (b) Mast cell stabilization
- (c) Leukotriene antagonism
- (d) Glucocorticoid receptor agonism

## 121. Which of the following side effect of ACE inhibitors result from inhibition of bradykinin breakdown?

- (a) Analgesia
- (b) Hyperglycaemia
- (c) Productive cough
- (d) Dry cough
- 122. Identify antihistamine drug with additional serotonin receptor blocking activity and good

### For more updates Join Depth of biology Application

#### appetite

#### stimulant property.

- (a) Cyproheptadine
- (b) Cimetidine
- (c) Ranitidine
- (d) Chlorpheniramine

#### 123. Which of the following are the mechanisms of action of digitalis glycosides?

- i. Inhibition of Na<sup>+</sup>-K<sup>+</sup> ATPase enzyme. ii. Reduction in the auriculo-ventricular conduction rate.
- iii. Increase in the cardiac output. iv. Acceleration of auriculo-ventric ular conduction rate.
- (a) Only iii
- (b) i, ii and iii
- (c) ii, iii and iv
- (d) Only i

#### 124. The following is NOT true for Furosemide:-

- (a) Causes hypokalemia
- (b) Causes hypouricemia
- (c) Causes hypomagnesemia
- (d) Acts by inhibiting sodium reabsorption

#### 125. Which of the following about the Varicella-Zoster Virus (VZV) is NOT true?

- (a) Varicella develops after an individual is exposed to VZV for the first time
- (b) Herpes zoster develops from reactivation of the virus later in life
- (c) There are no vaccines for this virus
- (d) The infection results in post-herpetic neuralgia

ANSWER KEY GPAT 2018

For more updates Join Depth of biology Application

1-b	2-c	3-a	4-a	5-b	6-c	7-c	8-d	9-d
11-c	12-b	13-b	14-a	15-c	16-b	17-a	18-a	19-c
21-c	22-d	23-d	24-b	25-b	26-d	27-a	28-a	29-d
31-c	32-c	33-a	34-c	35-a	36-a	37-c	38-c	39-d
41-d	42-a	43-b	44-b	45-a	46-b	47-b	48-d	49-a
51-d	52-c	53-b	54-c	55-d	56-a	57-b	58-b	59-c
61-b	62-d	63-b	64-c	65-c	66-c	67-d	68-a	69-b
71-d	72-b	73-d	74-d	75-b	76-a	77-d	78-b	79-c
81-c	82-c	83-a	84-a	85-d	86-a	87-b	88-c	89-d
91-d	92-c	93-d	94-a	95-c	96-a	97-d	98-c	99-d
101-c	102-b	103-a	104-a	105-c	106-b	107-a	108-a	109-a
111-d	112-b	113-c	114-c	115-b	116-b	117-b	118-c	119-b
121-d	122-a	123-b	124-b	125-c				